

st purple™

disinfectant | toilet bowl cleaner
floral scent

santec
clean needs. met.™

*Kills Pandemic 2009 H1N1 influenza A virus, formerly called swine flu.

KEEP OUT OF REACH OF CHILDREN

CAUTION

CAUIDADO: SI NO PUEDE LEER EN INGLES, PREGUNTE A SU SUPERVISOR SOBRE LAS INSTRUCCIONES DE USO APROPIADAS ANTES DE TRABAJAR CON ESTE PRODUCTO. CAUTION: IF YOU CANNOT READ ENGLISH, ASK YOUR SUPERVISOR TO EXPLAIN THE APPROPRIATE DIRECTIONS FOR USE BEFORE WORKING WITH THIS PRODUCT.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, using tobacco or using the toilet.

PHYSICAL OR CHEMICAL HAZARDS: Do not use or store near heat or open flame. Do not mix with oxidizers, anionic soaps and detergents.

FIRST AID: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. **IF SWALLOWED:** Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

ACTIVE INGREDIENTS:

Octyl Decyl Dimethyl Ammonium Chloride.....	0.026%
Didecyl Dimethyl Ammonium Chloride.....	0.013%
Diocetyl Dimethyl Ammonium Chloride.....	0.013%
Alkyl (C14, 50%; C12, 40%; C16, 10%) dimethyl benzyl ammonium chloride.....	0.034%
INERT INGREDIENTS:.....	99.914%
TOTAL.....	100.000%

EPA Reg. No. 10324-85-84179 EPA Est No. 84179-NJ-1
Santec Inc. 1420 East Linden Ave, Linden NJ 07036

net contents: 1 Quart (32 oz)



DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

DISINFECTION/VIRUCIDAL* DIRECTIONS: For heavily soiled areas, a preliminary cleaning is required. Apply this product undiluted to walls, floors and other hard, non-porous surfaces such as tables, chairs, countertops, sinks, glazed tile, and glazed porcelain with a brush, cloth, sponge or mechanical spray device so as to thoroughly wet surfaces. If mechanical spray device is used, spray must be coarse. Spray 6-8 inches from surface. Rub with brush, sponge, or cloth. Do not breathe spray. Treated surfaces must remain wet for 10 minutes and then let air dry or wipe up excess liquid. Rinse with potable water after use on surfaces that come in contact with food. Rinsing is not necessary unless floors are to be coated with finish or restorer. All food contact surfaces, such as appliances and kitchen countertops, must be rinsed with potable water. Apply product undiluted and replace if product becomes visibly dirty. **Note:** With spray applications cover or remove all food products. **NON-ACID TOILET BOWL AND URINAL DISINFECTION/CLEANER DIRECTIONS:** Remove gross filth prior to disinfection. Remove water from the toilet bowl.

Apply 1-2 ounces of undiluted solution to the toilet bowl. Brush thoroughly over exposed surfaces and under the rim with a brush, cloth, sponge or mechanical spray device. For sprayer application, use a coarse pump or trigger spray device. Brush or swab thoroughly. Repeat and allow solution to stand for 10 minutes and flush. Refill toilet bowl or urinal with water. **DISINFECTION IN INSTITUTIONS AND NON-MEDICAL FACILITIES:** This product is bactericidal according to the AOAC Use Dilution Test method on hard inanimate surfaces and a 10-minutes contact time against the following organisms: Pseudomonas aeruginosa, Salmonella enterica, Staphylococcus aureus. **FOR DISINFECTING HARD, NON-POROUS SURFACES AGAINST AVIAN INFLUENZA A H5N1 VIRUS:** For use in homes, hospitals, hotels, motels and schools, follow the disinfection directions. **VIRUCIDAL* PERFORMANCE:** This product was evaluated and found to be effective with a 10-minute contact time against the following viruses on inanimate hard non-porous environmental surfaces: Avian influenza A/Turkey/Wisconsin virus, Avian influenza A virus H5N1, Influenza A H1N1 virus, Herpes Simplex Type1 virus, Herpes Simplex Type2 virus Hepatitis C virus, Hepatitis B virus, Human Coronavirus, Influenza A/Brazil Virus, Respiratory syncytial virus, Vaccinia virus. This product was evaluated and found to be effective with a 2-minute contact time against the following viruses on inanimate hard non-porous environmental surfaces: HIV (AIDS virus). **Not for use on medical devices or medical equipment surfaces. *KILLS HIV, HCV AND HBV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1), Hepatitis B virus (HBV) and Hepatitis C virus (HCV). **"SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, HCV AND HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS"** **Personal Protection:** Clean up must always be done wearing protective latex gloves, gowns, masks and eye protection. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this product. **Disposal of Infectious Materials:** Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. **Contact Time:** Leave surface wet for 2 minutes with undiluted solution. This contact time will not control other common type of viruses and bacteria listed on this label. To be effective against Hepatitis B and Hepatitis C virus a 10 minute contact time is required.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage and disposal. **PESTICIDE STORAGE:** Open dumping is prohibited. Store only in original container. Do not reuse empty container. If a leaky container must be contained within another, mark the outer container to identify the contents. Store pesticides away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Keep this product under locked storage sufficient to make it inaccessible to children or persons unfamiliar with its proper use. **PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. **CONTAINER HANDLING DISPOSAL:** Non-refillable container. Do not reuse this container to hold materials other than pesticides or diluted pesticides. Triple rinse. After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Offer for recycling if available or puncture and dispose in a sanitary landfill, or by other procedures approved by state and local authorities. If rinsate cannot be used, follow pesticide disposal instructions. If not triple rinsed, these containers are acute hazardous wastes and must be disposed in accordance with local, state and federal regulations. **RESIDUE REMOVAL INSTRUCTIONS:** Triple rinse container promptly after emptying. Triple rinse as follows: Fill the container ¼ full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Toll-Free | 888-726-8323 Offices | 908-912-2500 Web | www.cleaneeds.com